

Security Screen Door Hardware: Security Door Locks



Whitco - Leichhardt Sliding Security Door Lock



Product Details	
<ul style="list-style-type: none"> • Non-Handed • Parrot Beak Deadlock • Self Latching • Inside Snib with Key Override • Accepts Whitco Lazy Cam Euro Cylinder • Optional 2 & 3 Multi Point Kits 	

Product Code	Description	Std Finish
W8653##	Leichhardt SDL - Complete with Lockbody, Furniture & Strike (Cylinder Sold Sep.)	## (Specify Finish)



Standard Finishes

Brown 13	DP	TP
White 16	DP	TP
Black 17	DP	TP
Primrose 19		TP
Magnolia 24		TP

Non Standard Finishes

Other polyester powder coat finishes available on application.

Multi Point Kits



Keying

- Use with Whitco Euro profile lazy cam cylinder locks
- 2 x 5 pin cylinder lock
- 2 x 10 disc cylinder lock

Whitco - Tasman MK2 Security Door Lock




Product Details

- Non-Handed
- Parrot Beak Deadlock
- Automatic Latching
- Inside Snib with Key Override
- Accepts Whitco Lazy Cam Euro Cylinder
- Optional 3 Point Multi Point Kit

Product Code	Description	Std Finish
W8921##	Tasman MK2 - Complete with Lockbody, Furniture & Strike (Cylinder Sold Sep.)	## (Specify Finish)

Standard Finishes

Brown 13	TP
White 16	TP
Black 17	TP
Gold Spangle 18	TP
Primrose 19	TP




Non Standard Finishes

Not available in other finishes.

Extra Width Strike (Stainless steel)


W844500



Multi Point Kits


Standard Multi Point Kit (below centre line kit)

W893117



Reversed Multi Point Kit (above centre line kit)

W893217



Keying

- Use with Whitco Euro profile lazy cam cylinder locks
- 2 x 5 pin cylinder lock
- 2 x 10 disc cylinder lock


Whitco - Bass Sliding Screen Latch




Product Details

- Non-Handed
- Parrot Beak Latch
- Surface Mounted
- Can be Latching from Inside & Out
- Zinc Die Cast Handle
- Slim Low Stand Off Design


Product Code	Description	Std Finish
W821317	Whitco Bass Sliding Screen Latch with Std Strike, Finger Plate & Outer Pull - Black	Black
W821417	Whitco Bass Sliding Screen Latch with Std Strike & Outer Pull - Black	Black




Standard Body W821517




No lug body W821717




Finger Plate W822317




Standard strike




Bi-part strike W822417




Outer pull with hole




No hole outer pull W822717



Dummy body W824017
(Sold in packs of 600)



Stegbar strike W822617



Jason strike W822517



Whitco - Screen Door Hinges




Product Details	
•	Non-Handed
•	Open Out Doors
•	Hinged Screen & Security Doors
•	Suitable for up to 21kg
•	Adjustable Closing Speed
•	Hold Open Bracket


Product Code	Description	Std Finish
W8314##	Whitco Screen Door Hinge with Steel Fixed Pin	## (Specify Finish)
W8316##	Whitco Screen Door Hinge with Steel Fixed Pin & Safety Prong	## (Specify Finish)
W831817	Whitco Screen Door Hinge with Steel Fixed Pin Step Over Version	Black

Standard Finishes


- Galvanised 01
- Silver 11
- Brown 13
- Pottery 14
- White 16
- Black 17
- Gold Spangle 18
- Primrose 19
- Hawthorn Green 20
- Doeskin 23
- Magnolia 24
- Stone Beige 28
- White Birch 41



W831411




W831611



W831817

Accessories

- Packer**
- Zinc plated 0.8mm steel packer W831501



W831501

Security Door Locks

Austral - SD7 Sliding Security Door Lock





Product Details

- Non-Handed
- Parrot Beak Deadlock
- Self Latching
- Inside Snib with Key Override
- Multi Point Kit Available

Product Code	Description	Std Finish
AU-SD7/##	Austral SD7 - Complete with Lockbody, Furniture & Strike (Cylinder Sold Sep.)	## (Specify Finish)

Multipoint Kits

<p>SD14Plus Cable System Uses steel cables that provide quiet and reliable operation. Cables are available in three standard lengths.</p> 	<p>S14R Rod System Uses simple steel rods that are available in three standard lengths.</p> 	<p>S14R-A Adjustable Rod Uses steel rods that can be set to any length and fixed with a special brass coupling.</p> 
---	---	---



Ordering Code	Description	[A]	[B]
CABLE	SD14Plus/H	Cable operated multipoint kit for SD7 series	546mm 961mm
	SD14Plus/L	Cable operated multipoint kit for SD7 series	961mm 546mm
	SD14Plus/P	Cable operated multipoint kit for SD7 series	375mm 961mm
ROD	S14R/H	Rod operated multipoint kit for SD7 series	546mm 961mm
	S14R/L	Rod operated multipoint kit for SD7 series	961mm 546mm
	S14R/P	Rod operated multipoint kit for SD7 series	375mm 961mm
	S14R/A	Adjustable Rod multipoint kit for SD7 series	any any

Tolerance +/- 3 mm

Accessories

<p>AA-C4/ KA or KD AA-G/ KA or KD AA re-pinable double cylinder with C4 or Gainsborough compatible keyway.</p> 	<p>AA-C4LHTT/ KA or KD AA-C4RHTT/ KA or KD AA cylinder with Thumbturn on inside and 5-pin C4 outside. (refer Cylinder section for details)</p> 	<p>W2000/ KA W2000 double wafer cylinder.</p> 	<p>SD7-FP SD7 'Fat Pack' to fit doors 35mm-40mm thick</p> <p>Pack contains: 2 x lever coupling 1 x long snib lever (left) 1 x long snib lever (right) 2 x G8-32x2" CSK SS screws</p>
--	--	--	---

Austral - Elegance Hinged Door Lock







Product Details

- Non-Handed
- Parrot Beak Deadlock
- Self Latching
- Inside Snib with Key Override
- Multi Point Kit Available

Product Code	Description	Std Finish
AU-ELXC/##	Austral Elegance - Complete with Lockbody, Furniture & Strike (Cylinder Sold Sep.)	## (Specify Finish)

Multipoint Kits

<p>E-KIT Cable System Uses steel cables that provide quiet and reliable operation. Cables are only available in standard lengths.</p> 	<p>H14R Rod System Uses simple steel rods that are only available in standard lengths.</p> 	<p>H14R-A Adjustable Rod Uses steel rods that can be set to any length and fixed with a special brass coupling.</p> 
--	---	--



	Ordering Code	Description	[A]	[B]
CABLE	EKIT/H	Cable operated multipoint kit for Elegance series	682mm	826mm
	EKIT/H-ST150	Cable operated multipoint kit for Elegance series	532mm	826mm
	EKIT/L	Cable operated multipoint kit for Elegance series	826mm	682mm
	EKIT/P	Cable operated multipoint kit for Elegance series	375mm	961mm
ROD	H14R/H	Rod operated multipoint kit for Elegance series	682mm	826mm
	H14R/L	Rod operated multipoint kit for Elegance series	826mm	682mm
	H14R/P	Rod operated multipoint kit for Elegance series	375mm	961mm
	H14R/A	Adjustable Rod multipoint kit for Elegance series	any	any

Tolerance +/- 3 mm


Accessories

<p>AA-C4/ KA or KD AA-G/ KA or KD AA re-pinable double cylinder with C4 or Gainsborough compatible keyway.</p> 	<p>AA-C4LHTT/ KA or KD AA-C4RHHT/ KA or KD AA cylinder with Thumbturn on inside and 5-pin C4 outside. (refer Cylinder section for details)</p> 	<p>W2000/ KA W2000 double wafer cylinder.</p> 	<p>ELXC-FP Elegance XC 'Fat Pack' to fit doors 35mm-40mm thick</p> <p>Pack contains: 1 x 73mm lever rod 1 x Elegance long snib lever 2 x G8-32x2" CSK SS screws</p>
--	--	--	--


Mesh



Cyclone - Screen / Security Mesh

	FIBREGLASS STANDARD INSECT SCREENING	Corrosion Resistance ★★★★★ UV Resistance ★★★★★ Strength Rating ★
	<p>IDEAL FOR Screening windows and doors in all areas</p> <p>FEATURES</p> <ul style="list-style-type: none"> ▶ Flexible and pliable ▶ Impressive visibility through the screen ▶ Economical and easy to install ▶ UV stabilised to ensure a long life span <p>SPECIFICATIONS</p> <ul style="list-style-type: none"> ▶ PVC coated Fibreglass yarn ▶ 0.25mm diameter yarn ▶ 18 x 14 strands per inch <p>AVAILABLE IN WIDTHS 610 / 760 / 810 / 910 / 1220 / 1520 / 1830 / 2100 / 2450mm</p>	


	MINIWEAVE [®] FINE FIBREGLASS MESH	Corrosion Resistance ★★★★★ UV Resistance ★★★★★ Strength Rating ★
	<p>IDEAL FOR Screening windows and doors from small insects in tropical areas</p> <p>FEATURES</p> <ul style="list-style-type: none"> ▶ Super fine mesh size designed to keep out the smallest of insects ▶ Minimises glare ▶ Easy to install ▶ Will not rust, rot, shrink or stain <p>SPECIFICATIONS</p> <ul style="list-style-type: none"> ▶ PVC coated Fibreglass yarn ▶ 0.25mm diameter yarn ▶ 18 x 30 strands per inch <p>AVAILABLE IN WIDTHS 910 / 1220mm</p>	

	PET MESH [™] HEAVY GAUGE POLYESTER SCREENING	Corrosion Resistance ★★★★★ UV Resistance ★★★★★ Strength Rating ★★★★★
	<p>IDEAL FOR Screening windows and doors where pet's claws are a problem</p> <p>FEATURES</p> <ul style="list-style-type: none"> ▶ Flexible and pliable ▶ Will not rust, rot, shrink or stain ▶ Easy to install <p>SPECIFICATIONS</p> <ul style="list-style-type: none"> ▶ PVC coated Polyester yarn ▶ 0.80mm diameter yarn ▶ 15 x 11 strands per inch <p>AVAILABLE IN WIDTHS 910 / 1220mm</p>	

DURAVIEW™

HIGH-DENSITY POLYETHYLENE SCREENING

Corrosion Resistance	★★★★
UV Resistance	★★★★
Strength Rating	★★★★



IDEAL FOR
Screening windows and doors in all areas, particularly where extra strength, durability and impressive visibility through the screen are required. Resists damage caused by pets and children. Highly suitable for coastal conditions.

FEATURES

- ▶ Strong and durable High-Density Polyethylene material
- ▶ Resistant to damage caused by pets and children
- ▶ Corrosion resistant to suit climatic and coastal conditions
- ▶ Impressive visibility through the screen
- ▶ Flexible and pliable / Easy to install

SPECIFICATIONS

- ▶ UV stabilised High-Density Polyethylene yarn
- ▶ 0.40mm diameter yarn
- ▶ 16x16 strands per inch

ALUMINIUM

INSECT SCREENING

Corrosion Resistance	★★★
UV Resistance	★★★★
Strength Rating	★★★

IDEAL FOR
Screening windows and doors where extra strength is required


FEATURES

- ▶ Powder coated charcoal finish
- ▶ Easy to install
- ▶ Minimises glare

SPECIFICATIONS

- ▶ Powder coated Aluminium
- ▶ 0.23mm diameter wire
- ▶ 18 x 16 strands per inch

AVAILABLE IN WIDTHS
610 / 760 / 810 / 910 / 1070 / 1220 / 1520mm



TUFFLITE®

INCREASED GAUGE POWDER COATED ALUMINIUM

Corrosion Resistance	★★★★
UV Resistance	★★★★
Strength Rating	★★★

IDEAL FOR
Screening windows and doors in tough and demanding conditions


FEATURES

- ▶ 47% stronger than conventional screening
- ▶ Withstands damage from pets and children
- ▶ Resists extreme weather conditions

SPECIFICATIONS

- ▶ Powder coated Aluminium
- ▶ 0.28mm diameter wire
- ▶ 18 x 15 strands per inch

AVAILABLE IN WIDTHS
910 / 1220 mm



TUFFSCREEN®

HEAVY GAUGE POWDER COATED ALUMINIUM

Corrosion Resistance	★★★★
UV Resistance	★★★★
Strength Rating	★★★★

IDEAL FOR
Screening windows and doors where superior toughness is required


FEATURES

- ▶ Super thick wire diameter
- ▶ Extra tough and durable
- ▶ Resistant to damage caused by pets
- ▶ Minimises glare but maintains visibility

SPECIFICATIONS

- ▶ Powder coated Aluminium
- ▶ 0.41mm diameter wire
- ▶ 14 x 14 strands per inch

AVAILABLE IN WIDTHS
910 / 1220mm



STAINLESS STEEL
DESIGNED FOR CORROSIVE CONDITIONS

Corrosion Resistance ★★★★★
UV Resistance ★★★★★
Strength Rating ★★★★★

IDEAL FOR
Screening windows and doors in coastal areas

FEATURES


- ▶ Corrosion resistant
- ▶ Super strong Stainless Steel wire
- ▶ Black powder coated
- ▶ Fine mesh for good visibility

SPECIFICATIONS

- ▶ 316 Marine Grade Stainless Steel
- ▶ 0.18mm diameter wire
- ▶ 18 x 16 strands per inch

AVAILABLE IN WIDTHS

610 / 760 / 810 / 910 / 1070 / 1220 / 1520mm



Spline & Tools



Foam Spline

Product Code	Description	Finish
PE-FS4.0	Foam Spline 4.0mm x 500m	BLACK
PE-FS4.8	Foam Spline 4.8mm x 500m	BLACK
PE-FS5.0	Foam Spline 5.0mm x 550m	BLACK
PE-FS5.3	Foam Spline 5.3mm x 500m	BLACK
PE-FS6.0	Foam Spline 6.0mm x 400m	BLACK
PE-FS5.7	Foam Spline 5.7mm x 450m	BLACK
PE-FS6.3	Foam Spline 6.3mm x 350m	BLACK



Spline Roller Metal Body

Product Code	Description
FLYROLLER	Spline Roller Metal Body with 4mm Plastic Wheel



Spline Roller Wheels

Product Code	Description
IGS-HSBGE822964	Spline Roller Wheel 3mm Plastic - White