

## Accessories: Drill Bits

### Alpha Jobber Drill Bit - Single End 12.0mm



#### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135 Degree Split Point cuts faster and reduces wandering

Code	Diameter	Length in Metric	Size	UOM Information	Kit	Material
2320898	5mm	151mm	2mm	1=1 Each	No	Steel

### Alpha 19pc Metric Drill Set 1.0-10.0mm



#### Product Details

- 1.0mm to 10.0mm drill set
- 0.5mm increments
- Straight shank

Code	Size	UOM Information	Kit
2320899	1-10mm	1=1 Pack (19 pieces)	No

### Alpha Jobber Drill Bit - Single End 3.0mm



#### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135 Degree Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320930	3.0mm	61mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 3.2mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135 Degree Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320932	3.2mm	61mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 3.6mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135 Degree Split Point cuts faster and reduces wandering

Code	Size	UOM Information	Kit
2320936	3.6mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 4.0mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135 Degree Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320940	4.0mm	61mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 4.5mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135 Degree Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320932	4.5mm	61mm	1=1 Each	No

## Alpha Stubby Drill Bit - Single End No.11 Gauge



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life

Code	Size	UOM Information	Kit
2330896	No.11	1=1 Each	No

## Alpha Stubby Drill Bit - Single End No.20 Gauge



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	UOM Information	Kit
2330896	No.20	1=1 Each	No

## Alpha Stubby Drill Bit - Single End No.30 Gauge



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life

Code	Size	UOM Information	Kit
2330898	No.30	1=1 Each	No

## Alpha Stubby Drill Bit - Double End No.11 Gauge



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life

Code	Size	UOM Information	Kit
2330900	No.11	1=1 Each	No

## Alpha Stubby Drill Bit - Double End No.20 Gauge



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life

Code	Size	UOM Information	Kit
2330900	No.20	1=1 Each	No

## Alpha Stubby Drill Bit - Double End No.30 Gauge



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life

Code	Size	UOM Information	Kit
2330902	No.30	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 1/16"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320870	1/16"	48mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 5/64"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320872	5/64"	43mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 3/32"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320874	3/32"	54mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 7/64"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320876	7/64"	125mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 1/8"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320878	1/8"	70mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End No.41 Gauge 3/32"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	UOM Information	Kit
2320879	3/32"	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 11/64"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320884	11/64"	82mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 3/16"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320886	3/16"	89mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 7/32"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320888	7/32"	93mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 13/64"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320889	13/64"	92mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 1/4"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320890	1/4"	101mm	1=1 Each	No



## Alpha Jobber Drill Bit - Single End 10.0mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320893	10mm	133mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 5/16"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320894	5/16"	98mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 2.5mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320895	2.5mm	49mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 5.0mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320896	5.0mm	86mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 3.5mm



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320897	3.5mm	75mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 9/64"



### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320880	9/64"	75mm	1=1 Each	No

## Alpha Jobber Drill Bit - Single End 5/32"




### Product Details

- M2 HSS Fully ground M2 HSS material increases drill life
- Titanium Nitride coating reduces heat and increases lubricity for extended life
- 135° Split Point cuts faster and reduces wandering

Code	Size	Length in Metric	UOM Information	Kit
2320882	5/32"	75mm	1=1 Each	No

# Pop Rivets

## Rivet, Aluminium-Steel - AS 4-5 Alum 3.2 x 11.5mm




### Product Details

- Shear: 150
- Tensile: 230

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	11.5mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 4-6 Alum 3.2 x 12.7mm




### Product Details

- Shear: 150
- Tensile: 230

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	12.7mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 4-8 Alum 3.2 x 16.1mm




### Product Details

- Shear: 150
- Tensile: 230

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	16.1mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 5-2 Alum 4.0 x 7.0mm




### Product Details

- Shear: 220
- Tensile: 345

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.0mm	7.0mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 5-3 Alum 4.0 x 8.5mm




### Product Details

- Shear: 220
- Tensile: 345

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.0mm	8.5mm	1 Box = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 5-4 Alum 4.0 x 10.0mm




### Product Details

- Shear: 220
- Tensile: 345

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.0mm	10.0mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 5-5 Alum 4.0 x 11.4mm




### Product Details

- Shear: 220
- Tensile: 345

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.0mm	11.4mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 5-6 Alum 4.0 x 13.0mm




### Product Details

- Shear: 220
- Tensile: 345

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.0mm	13.0mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 5-8 Alum 4.0 x 16.5




### Product Details

- Shear: 220
- Tensile: 345

Diameter	Length in Metric	UOM Information	Head Style	Kit
4mm	16.5mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Aluminium - AA 5-4 Alum 4.0 x 10.0mm




### Product Details

- Aluminium Rivets with Aluminium Mandrels

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.0mm	10.0mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 6-4 Alum 4.8 x 11.0mm




### Product Details

- Shear: 310
- Tensile: 490

Diameter	Length in Metric	UOM Information	Head Style	Kit
4.8mm	11.0mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 4-10 Alum 3.2 x 19.1mm




### Product Details

- Shear: 150
- Tensile: 230

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	19.1mm	1 Each = Pack of 1000	D	No


## Rivet, Aluminium-Steel - AS 4-12 Alum 3.2 x 22.2mm



Product Details	
<ul style="list-style-type: none"> <li>• Shear: 150</li> <li>• Tensile: 230</li> </ul>	

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	22.2mm	1 Each = Pack of 1000	D	No


## Rivet, Aluminium-Steel - AS 4-2 Alum 3.2x 6.4mm



Product Details	
<ul style="list-style-type: none"> <li>• Shear: 150</li> <li>• Tensile: 230</li> </ul>	

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	6.4mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 4-3 Alum 3.2 x 8.0mm




Product Details	
<ul style="list-style-type: none"> <li>• Shear: 150</li> <li>• Tensile: 230</li> </ul>	

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	8.0mm	1 Each = Pack of 1000	D	No



## Rivet, Aluminium-Steel - AS 4-4 Alum 3.2 x 9.6mm




### Product Details

- Shear: 150
- Tensile: 230

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	9.6mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Aluminium - AA 4-4 Alum 3.2 x 9.6mm




### Product Details

- Aluminium Rivets With Aluminium Mandrel (AA)

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	9.6mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 3-2 Alum 2.4 x 5.8mm




### Product Details

- Shear: 75
- Tensile: 100

Diameter	Length in Metric	UOM Information	Head Style	Kit
2.4mm	5.8mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 3-3 Alum 2.4 x 7.4mm




### Product Details

- Shear: 75
- Tensile: 100

Diameter	Length in Metric	UOM Information	Head Style	Kit
2.4mm	7.4mm	1 Each = Pack of 1000	D	No

## Rivet, Aluminium-Steel - AS 4-1 Alum 3.2 x 4.8mm



### Product Details

- Shear: 150
- Tensile: 230

Diameter	Length in Metric	UOM Information	Head Style	Kit
3.2mm	4.8mm	1 Each = Pack of 1000	D	No

# Screws

## Drive Bits

Phillips/Pozi Drive



## Magnetic Bit Holder

5/16 Magnetic Nusetter Suit 14G Hex Head



## Deep Hole / Magnetic Socket

Insert Bit With Deep Hole or Magnetic



## Mushroom (Truss) HD Handle/Knob Screws

Phillips Drive, Metric/Imperial, Zinc Plated



## Chipboard Screws

Phillips/Pozi Drive, Self-Embedding Head  
Zinc Yellow/Class 3



## Chipboard Screws

Stainless Steel with NIBS



## Super Chipboard Screws

Phillips/Pozi Drive, Self-Embedding Head  
Zinc Plated with NIBS & Cap Holes



## Particle Board Screws

Phillips/Pozi Drive In Zinc Yellow Plated/Brass, Antique Bronze, Black Oxide



## Bugle Drywall Screws

Phillips Drive, Fine Thread, Zinc Yellow/Class 3



## Bugle Drywall Screws/Collated

Phillips Drive, Coarse Thread, Black Oxide/Zinc Yellow



## Self Tapping Screws

Pan/CSK Head, Phillips Drive, AB Thread, Zinc Plated/ Black Oxide



## Self Tapping Screws

CSK Head, Phillips Drive, AB Thread, Zinc Plated ( Under Cut )



## Stainless Steel Self-Tapping Screws

Pan/CSK Head, Phillips Drive



## Stainless Steel Self-Tapping Screws

CSK Head, Phillips Drive, ( Under Cut )



## Chip-Connect Screws

POZI Head, Zinc Plated




## Self Tapping Pilot Pan Head

Phillips Drive, Zinc Yellow



## Pan Head Drywall

Fine Thread, Phillips Dri., Zinc Yellow, Plaster



## CSK Villaboard Screw

Phillips Drive Self Embedding, Zinc Yellow



## Laminating Screw Bugle Head

Phillips Drive, Zinc Yellow



## Stitching Button Head

Phillips Drive Type A, Zinc Yellow/Black



## Self Tapping Mush Head

Phillips Drive Type AB Thread, Zinc Yellow



## Stitching Hex Washer Head

Needle Point, Zinc Yellow/Class 3



## Stitching Hex Washer Head

Needle Point, Class 3, Serrated Under The Head



## Self Drilling Wafer Head

Phillips Drive, Zinc Yellow/Class 3



## Self Drilling CSK Head

Phillips Drive, Zinc Yellow/Class 3



## Self Drilling CSK-SEH

Phillips Drive, Zinc Yellow/Class 3, With NIBS



## Self Drilling ( Winged )

Flower Head, Zinc Yellow



## Self Drilling Button Head

Phillips Drive, Zinc Yellow/Class 3



## Self Drilling Pan Head

Phillips Drive, Zinc Yellow/Class 3



## Self Drilling Bugle Head

Phillips Drive, Zinc Yellow/Class 3



## Self Drilling Flower Head

Phillips Drive, Zinc Yellow/Class 3



## Self Drilling (Winged)

CSK Self Embedding Head, Zinc Yellow/Class 3



## Self Drilling No 5 Extended Point Washer Head

Hex Head with 16mm EPDM Bonded washer



## Self Drilling No 5 Extended Hex Washer Head

Hexagon Head, Class 3



## Self-Drilling Hex Washer Head

Double Grip With NEO Class 3 finish to AS3566



## Self Drilling Hex Washer Head

NEO/No NEO Class 3 Finish to AS3566/Zinc Yellow



## Type 17 Hex Washer Head

NEO/No NEO Class 3 Finish to AS3566/Zinc Yellow



## Type 17 Hex Washer Head

Without NEO Class 2 Zinc Yellow



## Type 17 Hex Washer Head

Double Grip With NEO Class 3 Finish to AS3566



## Type 17 Bugle Batten

With 5mm Hex Drive, CSK SEH, Zinc Yellow/  
Class 3/ Stainless steel



## Type 17 Decking Screw

8 Nibs Square Drive, 304 Stainless Steel



## Type 17 CSK Head

Phillips Drive, Zinc Yellow/Class 3



## Type 17 Pan Head

Phillips Drive, Zinc Yellow



## Type 17 Wafer Head

Phillips Drive, Zinc Yellow/Class 3





## Type 17 Flower Head

Phillips Drive, Zinc Yellow/Class 3



## Type 17 Securttty Pan Head

Torx Drive Stolen, Zinc Yellow



## Type 25 Thread Cutting Screw

CSK & Pan Head, Phillips Drive Zinc Yellow

